



**POOL & SPA COVERS
AND ACCESSORIES**

**PRODUCT
CATALOGUE**





Whether you are travelling to meetings, out on sales calls, or working from a client's site, check out our website at **www.hstsynthetics.com** for the swimming pool or spa products you need to get the job done.



PRODUCTS AND PARTNERS



PRODUCT CATALOGUE

PAGE	CONTENT
2 Important Dates
4 Spa Covers and Accessories
6 Bi-Fold & Quad-Fold Spa Covers
7 Supreme Spa Cover
8 Hydraulic ULTRALIFT
9 ULTRALIFT
10 UltraLift BoomerangLifter
11 UltraLift Feemount Lifter
12 UltiMate Hot Tub Cover Lifter / Cover Cap
13 Spa Accessories
14 Spa Cover Colours
15 PRO-TEX Cover Colours
16 Pool Covers and Accessories
17 The Sun Bubble
18 Pool Cove
19 Merlin Safety Covers
21 Lock-In and Rip-Stop Pool Cover
22 Smart Drain / Water Tubes
23 Order Forms
24 Custom Spa Cover Order Sheet
25 The Sun Bubble Order Sheet
26 Winter Cover Order Sheet
27 Safety Cover Order & Measuring Sheet #1
28 Safety Cover Order & Measuring Sheet #2
29 Safety Cover Order & Measuring Sheet #3
30 Safety Cover Order & Measuring Sheet #4

HST SYNTHETICS

6630 Edwards Blvd. Mississauga ON L5T 2V6

SPA COVERS AND ACCESSORIES






Bi-Fold COVER

Environmentally Friendly Spa Covers from HST! "CFC-free foam - our foam manufacturing process uses steam rather than ozone-depleting freon agents thus protecting the ozone layer.



FEATURES:

- High insulating value (3" has 13.11 R factor)
- 3"- 2" / 4"- 2" / 4"- 3" / 5"- 3" / 5"- 4" and 6"- 4" tapered covers
- Minimal water absorption
- Aluminum channel down centre for additional strength
- Durable marine grade top vinyl with U.V. and mildew inhibitors
- Solid vinyl bottom line
- Safety latches
- Reinforced handles
- Full 3" skirt for improved heat retention
- Custom made in 22 attractive colors

Environmentally Friendly  Spa Covers

Quad-Fold COVER

Cover can be easily folded by one person and left on the end of the spa, leaving 3/4 of the spa accessible.

FEATURES:

- 3"- 2" / 4"- 2" / 4"- 3" / 5"- 3" / 5"- 4" and 6"- 4" tapered covers
- 4" insulating foam has 17.5R factor
- 6 pieces aluminum 'C' channel for greater strength
- Minimal water absorption: foam is heat sealed in plastic bag
- Durable marine grade top vinyl with U.V. & mildew inhibitors
- Vinyl laminated bottom material
- Safety latches
- Reinforced handles
- Full 3" skirt for improved heat retention
- Custom made in 22 attractive colors



Supreme SpaCover

Made from 2lb density, 5"-4" tapered foam for
SUPER STRENGTH!

“ Environmentally
Friendly Spa Covers”



SWIM SPA COVERS

Swim Spa covers for any size Swim Spa. Dozens of templates on file. As well as custom in-ground covers for those large spa projects





HYDRAULIC COVER LIFTER



ultralift is corrosion-resistant. Compression gas springs provide extra lift assistance, making it simple for one person to remove the lid with minimal effort. Replacing the cover is equally easy, enabling an individual to return the cover securely to the correct position which reduces heat loss from your spa.

ultralift is easy-to-use and fits virtually every size, shape and brand of spa!

The **Hydraulic Mount** cover lifter attaches to the side of your spa, acting as a privacy screen when in the open position.



NOW YOU'RE COVERED!

Now you can carry the right cover lifter for all your customers' needs .

Introducing Ultralift - the new spa cover lifter that fits virtually every size, shape and brand of spa.

UNIQUE SLIDING-BRACKET MOUNTING SYSTEM

Ultralift's patented sliding brackets mount to the deck or directly to the side of the spa and adjust to fit into the tightest of spaces.

FITS VIRTUALLY EVERY SPA

Ultralift adjusts easily to fit round, square and even angled-corner spas.

SAFE AND SIMPLE DESIGN

Ultralift's elegantly simple design includes a built-in locking pin to hold the open cover safely in place.

HEIGHT-ADJUSTABLE FOR PRIVACY

Ultralift lets customers adjust the open cover height to their liking - high for greater privacy or low for an unobstructed view.

EASY INSTALLATION

Ultralift can be installed in less than an hour with a just a drill, screwdriver and a few other basic tools.

STURDY AND DURABLE

Ultralift features sturdy 1 1/4" diameter aluminum tubing and corrosion-resistant powder-coating for years of reliable, worry-free service.



SIDE MOUNT



UNDER MOUNT



NEW! ULTRALIFT BOOMERANG LIFTER

The Boomerang is the second generation Visionlift. We have eliminated the need to drill a secondary bracket location and streamlined the design.

Using a dual shock system, it lifts the cover and places it behind the tub- providing the user with a clean visual line- allowing your client to see your backyard, socialize with guests and keep an eye on any children or pets while using their hot tub. The Visionlift provides a full 360 degree view.

- Made in North America
- Limited Lifetime Warranty
- Aluminum Brackets
- Galvanized Arms
- 110lb Dual Gas Shocks
- Positions Cover Fully Behind Hot Tub
- Max Cover Width: 98"
- Clearance Required: 10-14" & 5" on the Side



NEW! ULTRALIFT FREEMOUNT LIFTER

Composite cabinets are thin and laborious to reinforce. Lighting and sound features on a spa can also make finding a suitable cover lifter system difficult- often leaving the consumer no choice but to select a standard undermount system.

The FREEMOUNT changes that. Our system allows the consumer to purchase a lifter with hydraulic assist, allows them to select their preferred mounting height with Ultralift's sliding bracket technology.

- No Drilling, No Holes
- Effortless Installation
- Works With All Cabinet Designs
- No Need to Reinforce the Spa Cabinet
- Made From Corrosion Resistant Aluminum



HOT TUB COVER LIFTER

ULTIMATE

HOT TUB COVER LIFTER



STANDARD MOUNT


ULTIMATE LIFTER**

Standard Mount

Undermount

Hydraulic

** Glossy Finish, No foam handle, Painted steel bracket, No discount program, One year warranty.



HYDRAULIC



UNDERMOUNT

HOT TUB COVER CAP

COVERCAP

14 sizes to fit almost every tub,
including Swim Spas.
See price book for available sizes.

IN STOCK AND READY TO SHIP!





HURRICANE STRAP

An added security for your spa cover. Made from the same marine grade vinyl as our spa covers, the Hurricane Strap is an extra locking strap, which fits across your spa and comes complete with a locking assembly on each end.



THERMAL-FOAM

Designed to float on the water's surface, the THERMAL-FOAM floating spa blanket is lightweight and durable. It protects and extends the life of your spa insulating cover while significantly reducing heat loss and chemical evaporation/consumption. Blue in color and made of 1/8" thick closed-cell polyethylene foam, these blankets are easily cut to size, and much more resistant to "bunching up" than the bubble blankets.



Spa Pillow

Relax in Comfort

Cradle your head in comfort with HST's weighted spa pillows. Made from the same marine grade vinyl as our spa covers with a soft foam insert.




Floating SPA Blanket

The 8'x 8' Floating SPA Blanket floats on the water underneath regular spa cover to cap heat in.

- Save heating costs by reducing the demand placed on the heating system and save chemical costs by reducing evaporation.
- Easily cut to fit the exact shape of the spa.




SPA COVER COLOURS







PRO-TEX COLOUR SWATCH



BLACK




CHARCOAL



CHESTNUT



FOREST GREEN



NAVY

POOL COVERS AND ACCESSORIES






SUN BUBBLE SOLAR BLANKET



Fits any pool, in ground or above-ground, from small to Olympic size. Within minutes it can be trimmed to fit any shaped pool.

Attractive marine blue tint, clear, and navy tint enhance the natural beauty of your pool. Available in 3 different qualities to suit every buyers need. The Sunbubble™ design will give you a durable, efficient, long lasting pool cover. Maintaining your pool can cost a small fortune as costly chemicals and water are continually being lost through evaporation. The Sunbubble™ reduces this evaporation. Your chemical costs are consequently reduced, and your water loss is virtually eliminated. The Sunbubble™ dramatically increases the efficiency of your pool heater, reducing heating costs.

The sun's heat is transmitted through the translucent Sunbubble™ and is absorbed in the water below. Floating on the surface, thousands of unique solar air cells retain the absorbed heat to raise the pool temperature by up to 10-15° F. This lets you swim comfortably more hours in the day, more days in the year.



Made from silver/ black or blue/black woven polyethylene with Velcro fasteners.

POOL COVE

PoolCove

Flexible light-weight above-ground pool cover. Made from E.P.S.(Expanded Poly Styrene). Triangular shaped 48" in length, packed 30 pieces per bag. 8 lbs. Per bag.



CLASSIC MESH:

Many of our dealers have asked us for a cover built to compete in the lower end safety cover market. Classic mesh covers still have the precise fit and finish we are known for, but without the upgraded materials used in our other covers. Classic mesh is an entry level safety cover.

DURA-MESH:

Increased filament sizes and increased number of filaments used, means your Dura-Mesh cover is designed to outperform any other standard mesh cover on the market. By tightening the weave of the filaments and increasing the filament size itself, Dura-Mesh allows much less sand, silt and debris to pass through the cover, while still allowing for rain and melting snow to pass through. Providing 91% shade Dura-Mesh means a cleaner pool in the spring. By using thicker filaments in a denser weave, Dura-Mesh is designed for superior performance under harsh conditions. Dura-Mesh is made with higher abrasion resistance to last longer.

- 14% Thicker
- 20% Increase in Tensile Strength in length
- 60% Increase in Tensile Strength in the width
- 40% Stronger Burst Strength
- Significantly better filtration of debris from other standard mesh materials

SMART-MESH™ * PATENT APPROVED *****

- Smart-Mesh is not just another mesh cover! This revolutionary product will give you an edge over your competition. Offer your customers something different, something that works.
- 100% Shade minimizes algae risk
- Average filtration down to 40 microns. (Sand filters typically filter to 20-30 microns.)
- Smart-Mesh is 40% lighter than solid cover material.




<p>Drop Down Design Stainless Steel Spring (Standard) (SSS) 7.5" long uncompressed, attaches straps to anchors 127 lb./inch compression rate!</p>	<p>Commercial Double Spring (CSSS)</p>	<p>Attaches to coping underneath straps. Prevents damage to sensitive coping. Coping Clip (CC)</p>												
<p>Short Stainless Steel Spring (SSSS) 5" long, no charge replacement for standard spring where decking is short * Used for deck widths of 2'6" from water's edge</p>	<p>Stainless Steel "D" Ring Spring (DSSS)</p>	<p>Hooks cover onto cable assembly can be used for pool and spa combo spa cover attachments. Snap Hook (SH)</p>												
<p>Solid Brass, sits in decking to anchor cover, fits into 3/4" hole Brass Anchor (BPU)</p>	<p>Allows spring to buckle onto webbing Stainless Steel Buckle (SSB)</p>	<p>Used in direct cover to anchor hookups (Not recommended due to weight loads that the cover can be subjected to.) D-Ring (DR)</p>												
<p>Solid Brass, used with wooden decks, fits into 3/4" hole, with screws Wood Deck Anchor (WDPU)</p>	<p>Works in conjunction with Brass Anchors in dirt, grass, or other soft earth installations, as well as brick and sand installations Aluminum Tube Only (T) Aluminum Tube with Anchor (TA)</p>	<p>Holds one end of steel cable, allows cable to be tightened Turnbuckle (TB)</p>												
<p>Hexagonal head fits into anchor slot Allen Wrench / Hex Key (AW)</p>	<p>Replaces brass anchors in dirt, grass or other soft earth installations (not recommended for entire cover) Aluminum Lawn Stake (LS)</p>	<p>Used on perimeter padding, holds material in place Grip Clip (GC)</p>												
<p>Necessary for the installation and removal of cover Stainless Steel Installation Tool (ITS) Steel Installation Tool (IT)</p>	<p>Cover hooks onto cable with snap hooks for flush fit along the raised wall area Stainless Steel Cable (SSC)</p>	<p>Same as single, used to hold gap filler in place Double Grip Clip (DGC)</p>												
<p>Hides chipped concrete around drill holes Brass flange (BF)</p>	<p>Low profile, attractive design. Holds cable closer to feature and allows for cable to be slid in. Stainless Steel Lag shield is drilled into raised wall to guide cable, eyebolt screws into lag. Lag fits into 1/2" hole. Requires special tamp tool. Eyebolt with Drop In (SSED) Drop In Only (SSDI) Tamp Tool for Drop In (TTDI)</p>	<p>Self Adhesive Cover Patch, 8.5"x11" Sheet Safety Cover Patch (Codes Below)</p> <table border="0"> <tr> <td>PATGR Green Dura</td> <td>PATTGR Green Smart</td> </tr> <tr> <td>PATBK Black Dura</td> <td>PATTBL Blue Smart</td> </tr> <tr> <td>PATBL Blue Dura</td> <td>PATCGR Green Adv.</td> </tr> <tr> <td>PATTN Tan Dura</td> <td>PATCBK Black Adv.</td> </tr> <tr> <td>PATSBL Blue Solid</td> <td>PATCBL Blue Adv.</td> </tr> <tr> <td>PATSGR Green Solid</td> <td>PATKS Kaleido (Color)</td> </tr> </table>	PATGR Green Dura	PATTGR Green Smart	PATBK Black Dura	PATTBL Blue Smart	PATBL Blue Dura	PATCGR Green Adv.	PATTN Tan Dura	PATCBK Black Adv.	PATSBL Blue Solid	PATCBL Blue Adv.	PATSGR Green Solid	PATKS Kaleido (Color)
PATGR Green Dura	PATTGR Green Smart													
PATBK Black Dura	PATTBL Blue Smart													
PATBL Blue Dura	PATCGR Green Adv.													
PATTN Tan Dura	PATCBK Black Adv.													
PATSBL Blue Solid	PATCBL Blue Adv.													
PATSGR Green Solid	PATKS Kaleido (Color)													
<p>Keeps springs from scratching sensitive deck surfaces Spring Covers (SC)</p>	<p>Used when a strap intersects a dive stand, large rock, or other obstacle Y-Strap (CH)</p>	<p>Improved design. Used for On-Ground pool deck installations. Mounts to outside of aluminum deck. Can be tightened from top of deck, no need to get under deck. Not recommended for all above-ground pools. Deck must be self supporting. On-Ground Pool Installation Brackets! (OGCB)</p>												
<p>Loops the steel cable ends U-Clamp (UC)</p>	<p>Barrier, used on edge of cover in raised wall areas 3' Gap Filler - Black Only (RW3) 6' Gap Filler - Black Only (RW6)</p>													

DURAMESH



SMARTMESH





LOCK-IN POOL COVER

LOCK-IN POOL COVER

Made from triple layer woven polyethylene. Standard bead snaps easily into the coping track. Custom made to fit all swimming pool sizes and shapes. Lightweight and easy to store (does not require summer storage in water).

- Tough durable black polypropylene thread
- Double chain stitched seams and hems



RIP STOP POOL COVER

RIP STOP POOL COVER

Triple layer woven polyethylene. Provides long lasting protection.

- Resists ultraviolet rays
- Prevents algae growth
- New black weave tapes with blue coating each side
- Lightweight store
- Water and weather proof
- Tough durable black polypropylene thread
- Double chain stitched seams and hems
- Terrific value

SMART DRAIN

*Makes opening your above ground pool
Easy Work!*

ELIMINATES:

- The dread of pool openings
- Cover Parachuting
- Leaves & debris on your cover
- Pumping off water at opening
- The need for a huge volume of water to refill the pool
- Standing water which promote mosquitoes that could carry the West Nile virus

SMARTDRAIN eliminates water accumulation with a fine blue mesh screen that runs in a line down the centre of the cover. During winter, ice and snow weigh down the cover in the centre and when spring warmth melts the precipitation, the water simply filters into the pool through the mesh. As the water runs down into the pool, the cover slowly rises until it is stretched tightly across the pool. Winter debris such as leaves and dirt dry up and blow away.




A REVOLUTION IN TRADITIONAL WINTER COVERS



WATER TUBES:

Available in 8' and 10' lengths, Single Chamber, Double Chamber or Deluxe*.

* **Deluxe Tubes:** Intermittently sealed down the centre to prevent rolling. This tube has the benefits of a double tube with only one valve and chamber to fill.



ORDER FORMS

Dealer Name: _____ Customer Tag: _____

Spa Manufacturer Brand: _____ Model: _____ Year: _____

Cover Taper 3 ▶ 2" 4 ▶ 2" 4 ▶ 3" 5 ▶ 3" 5 ▶ 4" 6 ▶ 4" 2lb Upgrade

Skirt Length: _____ Colour Name: _____

Covers are made as Bi-fold unless requested otherwise. Tri-Fold: Quad-Fold:

Does your cover require speaker hoods? Yes. 2 or 4

Don't forget to add a cover cap and a lifter to complete your package. See price book for sizes and models

Quick Ship

Please indicate fold directions. If direction is not indicated we will split the longest measurement.

Spa Cover Upgrades and bundles

Upgrade options. *See your price book for more options

- Overlap Skirt
- Full Centre Seal
- Vapour Barrier 4 mil 6 mil 8 mil
- Double Aluminum
- Seam Protector
- Reflective Liner

OR choose an upgrade bundle

- Better Cover** 4 mil vapour barrier
Overlap skirt at centre
Full foam centre seal
- Best Cover** 6 mil vapour barrier
Overlap skirt at centre
Full foam seal
Set of 2 Rubber Handles


Fill in Spa Dimensions Here:

A	Inches	B	Inches
C	Inches		
Special Instructions			

Signature: Please sign and date below to verify all the information you have provided on this form is correct.

Your Signature

Date





6630 Edwards Blvd., Mississauga, ON L5T 2V6 · Tel: 905.670.3432 · Fax: 905.670.3485
 info@hstsynthetics.com · www.hstsynthetics.com

Customer:	Date:
-----------	-------

Packaging: Bag: or Box:	Shipping: Carrier Name:
	or P/U:

	Silver		Gold		Platinum	Sunmaxx	Protection Cover
	3 Year Warranty		5 Year Warranty		5 Year Warranty	5 Year Warranty	
	Clear	Blue	Clear	Blue	Blue Only	Navy	
12' Round							
15'							4' x 13'
18'							4' x 15'
21'							4' x 17'
24'							4' x 19'
27'							4' x 21'
							4' x 23'
12 x 18 Oval							
12 x 25							
15 x 24							
15 x 30							
16 x 32							
18 x 33							
12 x 24 Rect.							
14 x 28							
15 x 30							
16 x 24							
16 x 32							
16 x 34							
16 x 40							
18 x 34							
18 x 36							
20 x 34							
20 x 40							
20 x 44							
24 x 40							
24 x 44							
Custom Sizes:							

Winter Cover Order Sheet

Customer:	Date:
Boxes:	Bags:


Pool Size	7 Year	10 Year	Leaf Net	Water Tube	
12' Round				8' Single:	
15'				8' Double:	
18'				8' Deluxe:	
21'				10' Single:	
24'				10' Double:	
27'				10' Deluxe:	
30'					
12x18 Oval					
12x25					
15x30					
16x26					
16x32					
18x33					
18x36					
12x24 Rect.					
14x28					
15x24					
15x30					
16x24					
16x26					
16x32					
16x24					
16x36					
16x40					
18x33					
18x36					
20x34					
20x40					
20x44					
22x36					
24x40					
24x44					

Job Name _____ Page _____ Of _____

- Establish two points, "A" & "B", ("A" must be to the left of "B" facing the pool) on the deck area about 2/3 the length of the pool; 20'-25' is typical. (The longer the line, and the farther away from the pool, the better for accuracy).
Mark your "A-B" points with stakes in the ground or chalk marks on the deck. Show "A-B" line on diagram along with distance from "A-B" and the direction of your points around the pool
IMPORTANT: The "A-B" line, or extensions of, CANNOT intersect or come within 3' of pool.
- Using chalk marks. Number points in a clockwise direction along the inside edge of the pool at approximately 2'-3' intervals. The tighter the radii, provide more points, every 1'-2'. Straight lines or broad radii less points, every 3'-4'. The more points the better. Be careful and number all corners, changes of direction and obstacles.
You must provide "A-B" points for all corner points.
Use letters A, B, C to mark obstacles such as ladders, handrails, grab rails, slide legs, dive stands, rocks, spillways, spa walls, fill spouts, etc.
- Measurements are now taken from "A" to point #1, then point #2, and all around the pool, fill in the chart. Then measure from "B" to the same point #1, then #2, and all around the pool as for "A". List the measurements in column format as in the sample form. Measure the length and width of the waterline using two established numbered points on pool
- Use a sketch to indicate inside pool dimensions, Show all obstructions on deck, (slides, grab rails, etc.) planters and how far back they are from pool edge, rocks, spas, waterfalls, etc. Please mark by letters A, B, C anything measured that is not at the water's edge.
- For obstructions that are flush with the pool wall, provide "A-B" points and tell us where the raised or rock area begins and ends.
- Show us on the diagram where there is less than 3' of deck.
- Remember; don't show removable obstructions when possible.
- A photo is required for all pools with unusual obstacles.

HINTS: Only through accuracy can we ensure a proper fit. We make the cover from your dimensions; spend the time and be as accurate as possible.

WARNING! The use of stakes and tubes on over 30% of cover, does not meet ASTM standards for safety covers.



Job Name _____ Page _____ Of _____

	A		B	
	Feet	Inch	Feet	Inch
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				

	A		B	
	Feet	Inch	Feet	Inch
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				

	A		B	
	Feet	Inch	Feet	Inch
47				
48				
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				
61				
62				
63				
64				
65				
66				
67				
68				
69				

	A		B	
	Feet	Inch	Feet	Inch
70				
71				
72				
73				
74				
75				
76				
77				
78				
79				
80				
81				
82				
83				
84				
85				
86				
87				
88				
89				
90				
91				
92				

Obstacles on Pool

Please provide descriptions: Handrails · Slides · Waterfalls · Dive Rock · Planters, etc.

	A		B	
	Feet	Inch	Feet	Inch
a				
b				
c				
d				
e				
f				
g				

	A		B	
	Feet	Inch	Feet	Inch
h				
i				
j				
k				
l				
m				
n				

IMPORTANT! The distance from "A" to "B" is _____ ft. _____ in.


Longest Length _____	From Point# _____	To Point# _____	Is there 3" of deck? Yes <input type="checkbox"/> No <input type="checkbox"/>	_____ft. _____in.
Widest Width _____	From Point# _____	To Point# _____	Does pool require a cut-out? Yes <input type="checkbox"/> No <input type="checkbox"/>	
Cross Dimension 1 _____	From Point# _____	To Point# _____	Does the pool have a spa? Yes <input type="checkbox"/> No <input type="checkbox"/>	
Cross Dimension 2 _____	From Point# _____	To Point# _____	Does spa require a separate cover? Yes <input type="checkbox"/> No <input type="checkbox"/>	

Customer ID#	Page	of
Dealer Name:	PO#	
Distributor Name:	Job Name:	
Address:	Ship with other orders?	
City: Prov.: Postal:	Shipping Instructions: Pick-Up? <input type="checkbox"/> Drop Ship? <input type="checkbox"/>	
Contact:	Ship to:	
Phone:		
Fax:		

ORDER **QUOTE** *If nothing is checked, we will assume this is a quote only!*

Material and Colour:

Standard Pool Shapes (All dimensions are assumed to be pool size unless otherwise noted).



- Patented SmartMesh™ Green
- Patented SmartMesh™ Blue
- Dura-Mesh Green
- Dura-Mesh Black
- Dura-Mesh Blue
- Solid Green
- Solid Blue
- Advanced Mesh Black
- Kaleidoscapes! _____
- Kaleidoscapes! _____
- Kaleidoscapes! _____
- Classic Mesh Green (Economy Cover)

**Solid and Kaleidoscapes!
Please choose pump or drain panel**

For Solids Please Indicate:

- Pump Drain Panel (Additional charges apply)

Overlap:

- Standard (Rect. 12'x15' FREE 18")
- Other * _____ Additional charges may apply

Spacing:

- 5'x5' 3'x3'

Step/Swimout Sizes:

- #1 _____ X _____
- #2 _____ X _____
- #3 _____ X _____

Does the pool have Radius or Diagonal Corners?

- Radius-Size _____
- Diagonal-Size _____

Less than 3' Diagonal or 4' Radius are normally not cut. You must indicate you want them cut and an up charge will apply. Larger corners than these will be cut automatically and up charge will apply.

Modify drawings to the left or provide sketch on Form 2 to show step location and dimensions. In the event the cover ordered does not meet ASTM Standards, Merlin Industries may request that a waiver be signed.

Job Name _____ **Page** _____ **Of** _____

Obstructions & Special Information

- | | | | |
|---|--|---|--------------------------------|
| <input type="checkbox"/> Rock Boulders | From Point _____ to point _____ and point _____ to point _____ | <input type="checkbox"/> Up & Over | <input type="checkbox"/> Cable |
| <input type="checkbox"/> Gravel or Stone | From Point _____ to point _____ and point _____ to point _____ | <input type="checkbox"/> Lawn Stakes | <input type="checkbox"/> Tubes |
| <input type="checkbox"/> Waterfall | From Point _____ to point _____ and point _____ to point _____ | <input type="checkbox"/> Up & Over | <input type="checkbox"/> Cable |
| <input type="checkbox"/> Raised Wall | From Point _____ to point _____ Length of raised wall _____ | <input type="checkbox"/> Up & Over | <input type="checkbox"/> Cable |
| <input type="checkbox"/> Grass Area | From Point _____ to point _____ and point _____ to point _____ | <input type="checkbox"/> Lawn Stakes | <input type="checkbox"/> Tubes |
| <input type="checkbox"/> Planter | From Point _____ to point _____ and point _____ to point _____ | <input type="checkbox"/> Lawn Stakes | <input type="checkbox"/> Tubes |
| Indicates amount of Overlap desired at Planter area _____ | | | |
| <input type="checkbox"/> OTHER | From Point _____ to point _____ and point _____ to point _____ | <input type="checkbox"/> Up & Over | <input type="checkbox"/> Tubes |
| <input type="checkbox"/> Raised Spa | From Point _____ to point _____ Raised _____ <input type="checkbox"/> Separate Cover | <input type="checkbox"/> Up & Over | <input type="checkbox"/> Cable |
| <input type="checkbox"/> Wood Deck | From Point _____ to point _____ and point _____ to point _____ | Tubes or Lawn Stakes may require liability waiver. | |
| <input type="checkbox"/> Velcro on Perimeter Padding | From Point _____ to point _____ and point _____ to point _____ | | |

Special or Extra Hardware Needed

- | | | | |
|--|--------------------------------------|--|-------------------------------|
| <input type="checkbox"/> Brass Flanges | Entire Pool or Quantity _____ | <input type="checkbox"/> Standard Springs | Entire Pool or Quantity _____ |
| <input type="checkbox"/> Aluminum Tubes | Entire Pool or Quantity _____ | <input type="checkbox"/> Short Springs | Entire Pool or Quantity _____ |
| <input type="checkbox"/> Lawn Stakes | Entire Pool or Quantity _____ | <input type="checkbox"/> Commercial Springs | Entire Pool or Quantity _____ |
| <input type="checkbox"/> Wood Deck Anchors | Entire Pool or Quantity _____ | <input type="checkbox"/> OTHER _____ | Entire Pool or Quantity _____ |
| <input type="checkbox"/> On-Deck Pool Clamps | Entire Pool or Quantity _____ | <input type="checkbox"/> Installation Instructions | |
| <input type="checkbox"/> Installation Tool | Cover includes one or Quantity _____ | <input type="checkbox"/> Clip on Perimeter Padding | Entire Pool or Quantity _____ |

Important: Please draw "A-B" line in relationship to pool.

Number points clockwise around

Important: "A-B" line, or extension of, CANNOT intersect or come 3' of pool. "A" should be left of "B" looking at pool.

